

# CARBOHYDRATE RESEARCH, VOL. 176 (1988)

## AUTHOR INDEX

- ABAAS, S., 231  
 ABE, J., 87  
 ADEYEE, A., 231  
 ANTONAKIS, K., 219  
  
 BANOUB, J. H., 31  
 BARON, M., 117  
 BELLVER, C., 295  
 BERMAN, E., 1  
 BERNACKI, R. J., 59  
 BOCK, K., 253  
 BOULLANGER, P., 31  
 BRAVO, P. A., 97  
 BROWNSEY, G. J., 329  
  
 CAIRNS, P., 329  
 CARLSON, R. W., 127  
 CHAMOW, S. M., 195  
 CHRISTIAN, R., 160  
 CHUNG, C., 73  
  
 DABROWSKI, J., 1  
 DABROWSKI, U., 1  
 DAZZO, F. B., 127  
 DÉSCOTES, G., 31  
  
 EIS, M. J., 316  
  
 FETT, W. F., 205  
 FREID, T., 253, 271, 289  
 FRENCH, A. D., 17  
  
 GALBIS PÉREZ, J. A., 97  
 GANEM, B., 316  
 GARCIA-HIERRO, J. I. F., 97  
 GAREGG, P. J., 145  
 GAWRONSKA, K., 79  
 GHOSH, M., 47  
 GHOSAL, P. K., 324  
 GORIN, P. A. J., 117  
 GUTHRIE, R. D., 306  
  
 HEDRICK, J. L., 195  
 HELLOU, J., 31  
 HELPA, B., 155  
 HERSCOVICI, J., 219  
 HESSE, H., 165  
 HICKS, K. B., 205  
 HILGENFELD, R., 165  
 HIZUKURI, S., 87  
 HODGSON, P. G., 59  
  
 HOLLINGSWORTH, R. L., 127  
  
 IACOMINI, M., 117  
 IDE, T., 245  
 IKENAKA, T., 107  
 IWATA, T., 107  
  
 JACKSON, G. E., 300  
 JANSSON, K., 271, 289  
 JANSSON, P.-E., 231  
 JENKINS, I. D., 306  
 JOAO, H. I., 300  
  
 KAMADA, Y., 237  
 KAWATA, M., 237  
 KIHILBERG, J., 253, 271, 289  
 KOIZUMI, K., 87  
 KONRADSSON, P., 145  
 KORYTNYK, W., 59  
 KUBOTA, Y., 87  
 KVARNSTROM, I., 145  
  
 LEE, H. H., 59  
 LEE, L. A., 211  
 LIANG, Y.-T., 73  
 LIAO, M.-L., 73  
 LINDBERG, B., 137, 145, 231  
 LINDQUIST, U., 137  
 LÓPEZ-CASTRO, A., 295  
  
 MAGNUSSON, G., 253, 271, 289  
 MAJUMDAR, S. G., 324  
 MÁRQUEZ, R., 295  
 MAZUREK, M., 117  
 MESSNER, P., 160  
 MILES, M. J., 329  
 MONTSERRET, R., 219  
 MORENO, E., 295  
 MORRIS, V. J., 329  
 MOTA, J. F., 97  
 MÜLLER-FAHRNÖW, A., 165  
 MURAMATSU, H., 237  
 MURAMATSU, T., 237  
  
 NAKANISHI, K., 175  
  
 OGAWA, S., 309  
 OMICHI, K., 107  
 ÖRSTAN, A., 149  
 OSMAN, S. F., 205

PFANNEMÜLLER, B., 165

RAVENSCROFT, N., 300

RAY, B., 324

ROSOWSKY, A., 47

RUDOLPH, M., 155

SAENGER, W., 165

SAKATA, Y., 107

SATOMURA, S., 107

SCHULZ, G., 160

SEIB, P. A., 73

SEKIYA, S., 237

SHARMA, M., 59

SHIBATA, Y., 309

SLEYTR, U. B., 160

SOLAN, V. C., 47

STEINHART, H., 155

STENBERG, O., 137

STEPHEN, A. M., 300

SUNDIN, A., 271

SVENSON, S. B., 231

TABATA, S., 245

TAKAMIZAWA, H., 237

THAKUR, S., 324

THANG, S., 306

TULLOCH, A. P., 117

UTAMURA, T., 87

VAZQUEZ, J. T., 175

VICENTE, F. R., 97

WANG, S.-Y., 73

WARNER, T. G., 211

WEINER, C., 160

WIESLER, W. T., 175

WOJCIK, J. F., 149

YAMASAKI, R., 306

ZIBERNA, A. K., 31

## CARBOHYDRATE RESEARCH, VOL. 176 (1988)

## SUBJECT INDEX

- Accessible conformations of the  $\beta$ -D-(2 $\rightarrow$ 1)- and -(2 $\rightarrow$ 6)-linked D-fructans inulin and levan, 17
- N-Acetylneuraminic acid, azidoaryl thioglycoside, synthesis of, 211
- 2-Amino-2-deoxy- $\alpha$ -D-glucopyranoside, synthesis of [(1S)-(1,2,4/3,5)-2,3,4-trihydroxy-5-hydroxymethyl-1-cyclohexyl], a biologically active pseudo-trehalosamine, 309
- 4-Amino-3-(2,3,5-tri-O-benzyl)- $\beta$ -D-ribofuranosyl)-5-pyrazolecarbonitrile, synthesis of, 47
- Amylase, alpha, synthesis of *p*-nitrophenyl 6<sup>5</sup>-O-benzyl- $\alpha$ -maltopentaoside as a substrate for, 107
- 3,6-Anhydro and 6-O-methyl-1-fluoro derivatives of galabiose, unexpected formation of the, on attempted substitution of HO-6 by fluorine in methyl  $\beta$ -D-galabioside, 289
- 3',6'-Anhydrosucrose, formation of, by Mitsunobu dehydration of sucrose, 306
- L-Arabinitol, 3-O- $\alpha$ -D-galactopyranosyl-, structural aspects of, 300
- L-Arabinose, 3-O- $\alpha$ -D-galactopyranosyl-, and the corresponding substituted L-arabinitol, structural aspects of, 300
- L-Ascorbate 6-phosphate, synthesis of, 73
- Azidoaryl thioglycoside of sialic acid, synthesis of, 211
- Azo dye- cyclomaltohexaose, inclusion complex, effect of dimethylsulfoxide on, 149
- Branched cyclomaltoheptaoses, enzymic syntheses of doubly, through the reverse action of *Pseudomonas* isoamylase, 87
- Calf fetuin, a two-dimensional <sup>1</sup>H- and <sup>13</sup>C-n.m.r. study of N-linked glycopeptides derived from, 1
- Carazolol, synthesis of the glucuronide of, 155
- Cellulose, distribution of substituents in O-ethyl-O-(2-hydroxyethyl)-, 137
- Circular dichroism spectra of bichromophorically derivatized methyl D-galactopyranosides, calculable by pairwise additivity, provide a basis for novel microanalysis of oligosaccharides, 175
- Clostridium thermohydrosulfuricum* strain L111-69, structure of a glycan from the surface-layer glycoprotein of, 160
- Conformation of methyl 4-O- $\alpha$ -D-galactopyranosyl- $\beta$ -D-galactopyranoside (methyl  $\beta$ -D-galabioside) and related derivatives determined by n.m.r. and computational methods, 253
- Conformations, accessible, of the  $\beta$ -D-(2 $\rightarrow$ 1)- and -(2 $\rightarrow$ 6)-linked D-fructans inulin and levan, 17
- Conformations of 2,3:4,5- and 2,4:3,5-di-O-isopropylidene-D-mannitol, synthesis and, 79
- A core oligosaccharide component from the lipopolysaccharide of *Rhizobium trifolii* ANU843, 127
- Crystal and molecular structure of 5-( $\alpha$ -D-erythrofuranyl)-3-methyl-2(3H)-thiazole-2-thione, 295
- Cyclomaltohexaose-azo dye inclusion complex, effect of dimethylsulfoxide on, 149
- Cyclomaltoheptaoses, enzymic synthesis of doubly branched, through the reverse action of *Pseudomonas* isoamylase, 87
- D-galacto Derivatives having an ethynyl, vinyl, or epoxy residue at C-5, synthesis of, 59
- Di-O-isopropylidene-D-mannitol, synthesis and conformations of 2,3:4,5- and 2,4:3,5-, 79
- Dimethyl sulfoxide, effect on cyclomaltohexaose-azo dye inclusion complex of, 149
- Dimethyl sulfoxide extraction of lichens, D-glucose obtained by, 117
- Distribution of substituents in O-ethyl-O-(2-hydroxyethyl)cellulose, 137
- Electrochemical detection of reducing carbohydrates produced by the transferase action of yeast debranching enzyme on maltosaccharides, 245
- Enzymic syntheses of doubly branched cyclomaltoheptaoses through the reverse action of *Pseudomonas* isoamylase, 87
- Epoxy residue at C-5, synthesis of D-galacto derivatives having an, 59
- 5-( $\alpha$ -D-Erythrofuranyl)-3-methyl-2(3H)-thiazole-2-thione, crystal and molecular structure of, 295
- Escherichia coli* O-149, O-antigen polysaccharide, structural studies of the, 231
- Ethynyl residue at C-5, synthesis of D-galacto derivatives having an, 59
- Formation of the 3,6-anhydro and 6-O-methyl-1-fluoro derivatives of galabiose on attempted substitution of HO-6 by fluorine in methyl  $\beta$ -D-galabioside, 289
- Formycin analog, sugar-blocked 5,7-disubstituted, synthesis of, 47

- D-Fructans,  $\beta$ -D-(2 $\rightarrow$ 1)- and -(2 $\rightarrow$ 6)-linked, accessible conformations of, 17
- D-Galactopyranosides, methyl, circular dichroism spectra of bichromophorically derivatized, calculable by pairwise additivity, 175
- 4-O- $\alpha$ -D-Galactopyranosyl- $\beta$ -D-galactopyranoside and related derivatives, the conformation of methyl, determined by n.m.r. and computational methods, 253
- D-Glucans obtained by dimethyl sulfoxide extraction of lichens, 117
- D-Gluconamide, molecular and crystal structures of *N*-(*n*-heptyl)- and *N*-(*n*-decyl)-, 165
- Glucuronide of Carazolol, synthesis of, 155
- Glycan from the surface-layer glycoprotein of *Clostridium thermohydrosulfuricum* strain L111-69, structure of a, 160
- Glycopeptides derived from calf fetuin, a two-dimensional  $^1\text{H}$ - and  $^{13}\text{C}$ -n.m.r. study of *N*-linked, 1
- Glycopeptides from murine teratocarcinoma cells: structure of the determinants recognised by *Griffonia simplicifolia* agglutinin I and by sera from patients with ovarian germ cell tumors, 237
- Glycosides, hydrolysis of, under reducing conditions, 145
- Heptopyranose, 7-deoxy-D-glycero-D-galacto-, mass-spectral identification of various derivatives of, 31
- Heptopyranose, 7-deoxy-L-glycero-D-galacto-, mass-spectral identification of various derivatives of, 31
- N*-(*n*-Heptyl)- and *N*-(*n*-decyl)-D-gluconamide, molecular and crystal structures of, 165
- $^1\text{H}$ -N.m.r. (500 MHz) and  $^{13}\text{C}$ -n.m.r. (125 MHz) study of *N*-linked glycopeptides derived from calf fetuin, a two-dimensional, 1
- Hydrolysis of glycosides under reducing conditions, 145
- Imidazole from 1-aryl-(1,2-dideoxy- $\beta$ -D-glycero-L-glucopyranosyl-heptofurano)[2,1-*d*]imidazolidine-2-thiones, synthesis of new *C*-nucleoside analogues of the, 97
- An improved synthesis of D-perosamine and some derivatives, 316
- Intermolecular bonding between xanthan and the glucomannan konjac mannan, evidence for, 329
- Inulin, accessible conformations of, 17
- Lectin binding and antigenic sites in glycopeptides from murine teratocarcinoma cells, structural studies of the determinants at the, 237
- Levan, accessible conformations of, 17
- Lichens, D-glucans obtained by dimethyl sulfoxide extraction of, 17
- Lipopolysaccharide, of *Rhizobium trifolii* ANU843, a core oligosaccharide from the, 127
- $\alpha$ -Maltopentaoside, *p*-nitrophenyl 6'-O-benzyl-, a substrate for alpha amylase, synthesis of, 107
- Maltosaccharides, electrochemical detection of reducing carbohydrates produced by the transferase action of yeast debranching enzyme on, 245
- Mass-spectral identification of various derivatives of 7-deoxy-D-glycero-D-galacto- and 7-deoxy-L-glycero-D-galacto-heptopyranose, 31
- Methyl 4-O- $\alpha$ -D-galactopyranosyl- $\beta$ -D-galactopyranoside and related derivatives, the conformation of, determined by n.m.r. and computational methods, 253
- Methyl 4-O- $\alpha$ -D-galactopyranosyl- $\beta$ -D-galactopyranoside (methyl  $\beta$ -D-galabioside), unexpected formation of the 3,6-anhydro and 6-O-methyl-1-fluoro derivatives of galabiose on attempted substitution of HO-6 by fluorine in, 289
- Methyl 4-O- $\alpha$ -D-galactopyranosyl- $\beta$ -D-galactopyranoside, preparation and calculated conformations of the 2-deoxy, 6-O-methyl, 6-deoxy, and 6-deoxy-6-fluoro derivatives of, 271
- A micromethod for the estimation of oligosaccharides containing glycosidically linked sialic acid or hexoses, or both, in glycoproteins, 195
- Mirabilis jalapa*, structural studies of a neutral polysaccharide, from the root bulb of, 324
- Mitsunobu dehydration of sucrose, formation of 3',6'-anhydrosucrose by, 306
- Molecular and crystal structures of *N*-(*n*-heptyl)- and *N*-(*n*-decyl)-D-gluconamide, 165
- Murine teratocarcinoma cells, structural studies of the determinants at the lectin binding and antigenic sites in glycopeptides from, 237
- C*-Nucleoside analogues of the imidazole from 1-aryl-(1,2-dideoxy- $\beta$ -D-glycero-L-glucopyranosyl-heptofurano)[2,1-*d*]imidazolidine-2-thiones, synthesis of new, 97
- Nucleosides, an improved method for the preparation of 2',3'-unsaturated, and application to the synthesis of stereospecifically labelled ketonucleosides, 219
- O-Antigen, of *Pseudomonas syringae* pv. *phaseolica* strain NPS 3121, structure of the, 205

- Oligosaccharide, a core component, from the lipopolysaccharide of *Rhizobium trifolii* ANU843, 127
- Oligosaccharides, containing glycosidically linked sialic acid or hexoses or both, in glycoproteins, a micromethod for the estimation of, 195
- Oligosaccharides, novel microanalysis of, by use of circular dichroism spectra of bichromophoric derivatives, 175
- D-Perosamine, and some derivatives, an improved synthesis of, 316
- 6-Phosphate of L-ascorbic acid, synthesis of, 73
- Polysaccharide from the root bulb of *Mirabilis jalapa*, structural studies of a neutral, 324
- Polysaccharide, structural studies of the *Escherichia coli* O-149 O-antigen, 231
- Preparation and calculated conformations of the 2-deoxy, 6-O-methyl, 6-deoxy, and 6-deoxy-6-fluoro derivatives of methyl 4-O- $\alpha$ -D-galactopyranosyl- $\beta$ -D-galactopyranoside, 271
- Preparation of 2',3'-unsaturated nucleosides, an improved method for the, 219
- Pseudo-trehalosamine ([[(1S)-(1,2,4/3,5)-2,3,4-trihydroxy-5-hydroxymethyl-1-cyclohexyl] 2-amino-2-deoxy- $\alpha$ -D-glucopyranoside]), synthesis of biologically active, 309
- 5-Pyrazolecarbonitrile, 4-amino-3-(2,3,5-tri-O-benzyl)- $\beta$ -D-ribofuranosyl-, synthesis of, 47
- Receptor analogues of methyl 4-O- $\alpha$ -D-galactopyranosyl- $\beta$ -D-galactopyranoside (methyl  $\beta$ -D-galabioside), preparation and calculated conformations of, 271
- Reducing conditions, hydrolysis of glycosides under, 145
- Stereospecifically labelled ketonucleosides, an improved method for the preparation of 2',3'-unsaturated nucleosides and its application to the synthesis of, 219
- Structural aspects of 3-O- $\alpha$ -D-galactopyranosyl-L-arabinose and the corresponding substituted L-arabinitol, 300
- Structural studies of a neutral polysaccharide from the root bulb of *Mirabilis jalapa*, 324
- Structural studies of the *Escherichia coli* O-149 O-antigen polysaccharide, 231
- Structure of a glycan from the surface-layer glycoprotein of *Clostridium thermohydrosulfuricum* strain L111-69, 160
- Structure of 5-( $\alpha$ -D-erythrofuranosyl)-3-methyl-2(3H)-thiazole-2-thione, crystal and molecular, 295
- Structure of the O-antigen of *Pseudomonas syringae* pv. *phaseolica* strain NPS 3121, 205
- Substituents in O-ethyl-O-(2-hydroxyethyl)cellulose, distribution of, 137
- Sucrose, formation of 3',6'-anhydrosucrose by Mitsunobu dehydration of, 306
- Synthesis and conformations of 2,3:4,5- and 2,4:3,5-di-O-isopropylidene-D-mannitol, 79
- Synthesis of biologically active pseudo-trehalosamine ([[(1S)-(1,2,4/3,5)-2,3,4-trihydroxy-5-hydroxymethyl-1-cyclohexyl] 2-amino-2-deoxy- $\alpha$ -D-glucopyranoside]), 309
- Synthesis of new c-nucleoside analogues of the imidazole from 1-aryl-(1,2-dideoxy- $\beta$ -D-glycero-L-gluco-heptofurano)[2,1-d] imidazolidine-2-thiones, 97
- Synthesis of p-nitrophenyl 6'-O-benzyl- $\alpha$ -maltopentaoside, a substrate for alpha amylase, 107
- Synthesis of the glucuronide of Carazolol, 155
- Thiosialic acid, azidoaryl glycoside, synthesis of, 211
- Transferase action of yeast debranching enzyme on maltosaccharides, electrochemical detection of reducing carbohydrates produced by the, 245
- Vinyl residue at C-5, synthesis of D-galacto derivatives having an, 59
- Xanthan and the glucomannan konjac mannan, evidence for intermolecular binding between, 329